# MATH EXPRESSIONS

Assignment # 5 JAVASCRIPT 1. Write a program that take two numbers & add them in a new variable. Show the result in your browser.

🗘 Collaborators X 🔿 Connecting	× +	-	٥	×
( ile:///C:/Users/Tahir/Desktop/test.html	× Q. Search ☆ 自 🖡 🏦	◙		≡

Sum of 3 and 5 is 8

- 2. Repeat task1 for subtraction, multiplication, division & modulus.
- 3. Do the following using JS Mathematic Expressions
  - a. Declare a variable.

b. Show the value of variable in your browser like "Value after variable declaration is: ??".

c. Initialize the variable with some number.

d. Show the value of variable in your browser like "Initial value: 5".

e. Increment the variable.

f. Show the value of variable in your browser like "Value after increment is: 6".

g. Add 7 to the variable.

h. Show the value of variable in your browser like "Value

after addition is: 13".

i. Decrement the variable.

j. Show the value of variable in your browser like "Value after decrement is: 12".

k. Show the remainder after dividing the variable's value by 3.

l. Output : "The remainder is : o".

Document	× +			-	٥	×
(i) file:///D://a	wascript assignments part 1/test.html	C Q Search	☆自ま合		<b>80</b> -	=

Value after variable declaration is undefined Initial value: 5 Value after increment is: 6 Value after addition is: 13 Value after decrement is: 12 The remainder is: 0

> 4. Cost of one movie ticket is 600 PKR. Write a script to store ticket price in a variable & calculate the cost of buying 5

ticket price in a variable & calculate the cost of buying 5 tickets

to a movie. Example output:

Document × +					-	٥	×
① file:///D:/Javascript_assignments_part_1/test.html	C <sup>e</sup> Q Search	☆₫	+	Â	◙	ABP 👻	≡

Total cost to buy 5 tickets to a movie is 3000PKR

5. Write a script to display multiplication table of any
number in your browser. E.g

locument X +	 Q Search	Ó	÷	Â	y 💩	-
Table of 4						
4x1=4						
4x2=8						
4x3=12						
4x4=16						
4x5=20						
4x6=24						
4x7=28						
4x8=32						
4x9=36						
4x10=40						

e-sign-live - [D:\heroku\recipient_original\e-sign-live] - D:\Javascript_assignments_part_1\test.html - WebStorm
2016.2.4

- 6. **The Temperature Converter:** It's hot out! Let's make a converter based on the steps here.
  - a. Store a Celsius temperature into a variable.
  - b. Convert it to Fahrenheit & output "NN<sub>0</sub>C is NN<sub>0</sub>F".
  - c. Now store a Fahrenheit temperature into a variable.
  - d. Convert it to Celsius & output "NN<sub>0</sub>F is NN<sub>0</sub>C".

**Conversion Formulae:** 

$$^{\circ}C = (^{\circ}F - 32) \times 5/9$$

$$^{\circ}F = (^{\circ}C \times 9/5) + 32$$

$$^{\circ}C = (^{\circ}F - 32) \times 5/9$$

$$^{\circ}F = (^{\circ}C \times 9/5) + 32$$

$$^{\circ}C = (^{\circ}F - 32) \times 5/9$$

25<sup>0</sup>C is 77°F 70<sup>0</sup>F is 21.111111111111110°C

7. Write a program to implement checkout process of a shopping cart system for an e-commerce website. Store the following in variables

a. Price of item 1
b. Price of item 2
c. Ordered quantity of item 1
d. Ordered Quantity of item 2

e. Shipping charges

Compute the total cost & show the receipt in your browser.



### **Shopping Cart**

Price of item 1 is 650 Quantity of item 1 is 3 Price of item 2 is 100 Quantity of item 2 is 7 Shipping Charges 100

Total cost of your order is 2750

8. Store total marks & marks obtained by a student in 2 variables. Compute the percentage & show the result in your browser



#### **Marks Sheet**

Total marks: 980 Marks obtained: 804 Percentage: 82.0408163265306%

> 9. Assume we have 10 US dollars & 25 Saudi Riyals. Write a script to convert the total currency to Pakistani Rupees. Perform all calculations in a single expression. (Exchange rates : 1 US Dollar = 104.80 Pakistani Rupee and 1 Saudi Riyal = 28 Pakistani Rupee)

Document × + (i) file:///D:/Javascript\_assignments\_part\_1/test.html ▼ C Q Search ☆ 自 🖡 🎓 💟 🚳 -

### **Currency in PKR**

Total Currency in PKR: 1748

٥ ×

Ξ

10. Write a program to initialize a variable with some number and do arithmetic in following sequence:
a. Add 5
b. Multiply by 10
c. Divide the result by 2
Perform all calculations in a single expression

# 11. **The Age Calculator:** Forgot how old someone is? Calculate it!

a. Store the current year in a variable.

b. Store their birth year in a variable.

c. Calculate their 2 possible ages based on the stored values.

Output them to the screen like so: "They are either NN or NN years old".

 Document
 ×
 +

 ← ① file:///D:/Javascript\_assignments\_part\_1/test.html
 C
 Q. Search

# **Age Calculator**

Current Year: 2016 Birth Year: 1992 Your Age is: 24

12. The Geometrizer: Calculate properties of a circle.

a. Store a radius into a variable.

b. Calculate the circumference based on the radius, and output "The circumference is NN". (*Hint : Circumference of a circle = 2 \pi r , \pi = 3.142) Calculate the area based on the radius, and output "The area is NN". (<i>Hint : Area of a circle = \pi r<sub>2</sub>, \pi = 3.142)* 

Document	× +				-	٥	×
( i file:///D:/Jav	vascript_assignments_part_1/test.html	C Q Search	☆ 自 ♣	Â		ABD 🗸	≡

## **The Geometrizer**

Radius of a circle: 20 The circumference is: 125.6799999999999999 The area is: 1256.8

- 13. **The Lifetime Supply Calculator:** Ever wonder how much a "lifetime supply" of your favorite snack is? Wonder no more.
  - a. Store your favorite snack into a variable
  - b. Store your current age into a variable.
  - c. Store a maximum age into a variable.
  - d. Store an estimated amount per day (as a number).
  - e. Calculate how many would you eat total for the rest of your life.

Output the result to the screen like so: "You will need NNNN to last you until the ripe old age of NN".

☆ 自 ♣

X

≡

C Q Search

## **The Lifetime Supply Calculator**

Favourite Snack: chocolate chip Current age: 15 Estimated Maximum Age: 65 Amount of snacks per day: 3 You will need 150 chocolate chip to last you until the ripe old age of 65